

ULTRA-SLIM 3D SPACE DISPLAY SERIES

# 32" Ultra-Slim 3D Space Display

Ultra-slim chassis · Glasses-free 3D · Portrait 9:16 · 1000 nits

MODEL

## STD-3D43-L0A

Panel 43" TFT LCD (Portrait)
2160 × 3840 · 9:16 · 1000 nits
Android 11 · RK3568VC

| 32" | 2160×3840 | 1000 nits | Glasses-free 3D | Android 11 | 54 mm |
|---|---|---|---|---|---|
| Screen Size | Resolution | Peak Brightness | Display Type | OS | Panel Thickness |

Glasses-free 3D | Portrait 9:16 | 1000 nits | Ultra-slim 54 mm

FIG. 1 PRODUCT VIEWS — Front 3/4 · Front



FRONT

### 01 DISPLAY

| | |
|---|---|
| Panel | 43" TFT LCD |
| Active Area | 529.25 × 940.9 mm |
| Resolution | 2160 × 3840 RGB |
| Aspect Ratio | 9 : 16 |
| Brightness | 500 / 700 / 1000 nits |
| Contrast | 1500 : 1 |
| View Angle | 176° / 176° |
| Response | 8 ms |
| Colour | 8 bit / 16.7 M |
| Frame Rate | 60 Hz |

### 02 GLASSES-FREE 3D

| | |
|---|---|
| Display Type | Glasses-free 3D |
| Orientation | Portrait 9:16 |
| Display Mode | Landscape / Portrait / Split |

### 03 SYSTEM

| | |
|---|---|
| OS | Android 11.0 |
| Motherboard | RK3568VC |
| CPU | Quad-core Cortex-A55 2.0 GHz |
| RAM | DDR 2 GB (4 G option) |
| Flash | eMMC 32 GB |
| Decoding | Up to 4 K |
| Network | 4G / Ethernet / WiFi / BT 4.0 |

### 04 INTERFACE

| | |
|---|---|
| HDMI IN | Option |
| HDMI OUT | ×1 |
| RJ45 LAN | ×1 |
| TF Card | ×1 |
| USB | ×2 |
| DC Input | ×1 |
| Earphone | ×1 |

### 05 STRUCTURE

| | |
|---|---|
| Outline | 1724 × 600 × 420 mm |
| Colour | White (Black option) |
| Net Weight | 26.8 kg |
| Gross Weight | 28.16 kg |
| Carton | 1145 × 250 × 680 mm |

### 06 RELIABILITY

| | |
|---|---|
| Life Time | > 30,000 h |
| Power | 100–240 V 50/60 Hz |
| Consumption | ≤ 145 W |
| Standby | ≤ 1 W |

NOTES

1. Dimensions in mm, tolerance ±1 mm; data taken from the supplier's original specification.
2. Brightness available in 500 / 700 / 1000 nits; the ordered model prevails.
3. Portrait 9:16 by default; landscape and split-screen modes supported.
4. Operating / storage temperature and humidity per the label on the unit.

Shenzhen Superstark Technology Co., Ltd.
Web: www.starktouchdevice.com Email: edison.cheng@starktouchdevice.com
Tel / WhatsApp: +86 134 8064 6839




ULTRA-SLIM 3D SPACE DISPLAY SERIES

# Engineering Drawing & Interface

Three views with dimensions · Unit: mm · Tolerance ±1 mm

FIG. 2 OUTLINE DIMENSIONS

FRONT VIEW / SIDE VIEW / BASE TOP VIEW




## OVERALL DIMENSIONS

| | |
|---|---|
| Overall (W×H×D) | 1724.0.0 × 600.0.0 × 420 mm |
| Box (W×H×D) | TBD mm |
| Active Area | 529.25 (H) × 940.9 (V) mm |
| Bezel | 14.20 mm (side) / 17.50 mm (bottom) |
| Base | 448.00 × 350.00 mm |
| Feet Clearance | 40.00 mm / 70.00 mm |
| Packing Carton | 1145.0 × 250.0 × 680 mm |

## INTERFACE

| | |
|---|---|
| HDMI IN signal input | Option |
| HDMI OUT signal output | ×1 |
| RJ45 LAN | ×1 |
| TF card / USB | ×1 / ×2 |
| DC input / Earphone | ×1 / ×1 |

Shenzhen Superstark Technology Co., Ltd.
Web: www.starktouchdevice.com Email: edison.cheng@starktouchdevice.com
Tel / WhatsApp: +86 134 8064 6839



ULTRA-SLIM 3D SPACE DISPLAY SERIES

# Models & Accessories

6 sizes · Standard parts list

| Model | Size | Resolution | Overall mm | Packing mm | Net / Gross |
|---|---|---|---|---|---|
| 3D32-L0A | 32" | 2160×3840 | 1480×448×350 | 895×245×510 | 16.8 / 28.16 kg |
| 3D36-L0A | 36.3" | 2160×1216 | TBD | TBD | TBD |
| 3D43-L0A | 43" | 2160×3840 | 1724×600×420 | 1145×250×680 | 26.8 / 28.16 kg |
| 3D50-L0A | 50" | 2160×3840 | 1728×676×450 | 1300×250×750 | 32.3 / 34.3 kg |
| 3D55-L0A | 55" | 2160×3840 | 1842×740×460 | 1400×250×810 | 36.8 / 37.8 kg |
| 3D65-L0A | 65" | 2160×3840 | 1866×834×550 | 1866×834×550 | TBD |

## STANDARD PARTS / ACCESSORIES




**Warranty Card & Certificate**

×1



**Screws (4 types)**

×4 / ×20 / ×6 / ×4



**Power Cord**

×1



**Screwdriver**

×1





**Installation & User Manual**

×1



**Remote Control**

×1



**Casters & Floor Mats**

×4



**Poster Stands & CMS Trays**

Optional

## MODEL NAMING

| STD | - | 3D | - | 32 | - | L0A |
|---|---|---|---|---|---|---|
| STARK brand | | 3D space display | | Size in inch | | Standing / version |

Example: STD-3D43-L0A = STARK 3D space display, 43 inch, standing cabinet

Shenzhen Superstark Technology Co., Ltd.
Web: www.starktouchdevice.com Email: edison.cheng@starktouchdevice.com
Tel / WhatsApp: +86 134 8064 6839