



# High-Brightness Ceiling Display

Ceiling SM series · Dual 700+3000 · 700 + 3000 nits · 59 mm body

**MODEL**
**STD-65SM**

Panel Dual-sided 65" LCD
3840 × 2160 · 16:9 · 700 + 3000 nits

| 65″ | 3840×2160 | 700 + 3000 | 59 mm | Dual 700+3000 | ≤700 W |
|---|---|---|---|---|---|
| SCREEN SIZE | RESOLUTION | BRIGHTNESS | THICKNESS | CONFIG | POWER |

**FIG. 1 PRODUCT VIEWS**

Ceiling mount · dual display · 3000 nits




FRONT



SIDE




MULTI-VIEW

## 01 DISPLAY

| | |
|---|---|
| Panel | Dual-sided 65" LCD |
| Resolution | 3840 × 2160 |
| Brightness | 700 + 3000 nits |
| Contrast | 1200 : 1 |
| Gamut | ≥90% |
| View angle | 178 / 178 / 178 / 178 |
| Active area | 1427.48 × 802.52 mm |

## 02 SYSTEM

| | |
|---|---|
| OS | Android 11 |
| CPU | RK3568 4*A55 1.8GHz |
| RAM | 4G / 8G |
| Storage | 32GB / 64GB |
| Wireless | 2.4G WiFi / BT 5.0 |
| Speaker | 8 Ω 5 W |
| Publish | Built-in CMS, remote publishing |

## 03 STRUCTURE

| | |
|---|---|
| Body | 59 mm |
| Hanging | Double-sided ceiling mount |
| VESA | — |
| Glass | AG matte, Mohs 7 |
| Transmittance | 93% |
| Brightness ctrl | Manual knob + auto sensor |

## 04 POWER

| | |
|---|---|
| Input | AC 100–240 V 50/60 Hz |
| Consumption | ≤700 W |
| Operating | 0 ~ 50 ℃ |
| Storage | −10 ~ 60 ℃ |
| Humidity | ≤80% RH |
| Cooling | 6 silent fans, smart control |

## 05 PACKING

| | |
|---|---|
| Unit | 1518.68 × 833.72 × 59 mm |
| Carton | 1628 × 1050 × 160 mm |
| Net | 35.25 kg |
| Gross | 47 kg (incl. hanger) |

## 06 ACCESSORIES

| | |
|---|---|
| Manual | Digital / printed |
| Certificate | CE / FCC |
| Warranty | 1 year |
| Remote | Multi-function remote |
| Power cord | 3 m (built-in) |

**Shenzhen Superstark Technology Co., Ltd.**
Web: www.starktouchdevice.com Email: edison.cheng@starktouchdevice.com
WhatsApp: +86 134 8064 6839






# Dimensions & Installation

Overall size and hanging height follow the certified drawing. Unit: mm.

## FIG. 2 OUTLINE DIMENSIONS

NTS · mm · ±1





## DIMENSION TABLE

| Ref. | ITEM | VALUE | NOTE |
|---|---|---|---|
| W | Overall width | 1518.68 mm | ±1 |
| H | Overall height | 833.72 mm | ±1 |
| D | Depth | 59 mm | 59 mm body |
| VA | Active area | 1427.48 × 802.52 mm | 16:9 |
| HANG | Hanging height | 0.5 – 2 m | 10 cm steps |

## FIG. 4 MOUNTING

| | |
|---|---|
| **Ceiling mount (rod incl.)** | Standard |
| **Rod length 0.5–2 m** | 10 cm steps |
| **Dual / single sided** | By model |
| **Floor stand** | Optional |

## FIG. 3 INTERFACE LAYOUT



| | | |
|---|---|---|
| **USB** | ×2 | USB Host ×1 + USB OTG ×1, top & bottom |
| **RJ45** | ×1 | 10M / 100M Ethernet, WiFi 2.4G |

**STARK TOUCH DEVICE**

PROJECT
**Indoor Digital Signage**

DWG NO.
STD-DS-65SM

MODEL
**STD-65SM**

SCALE
NTS

DATE
2026.11

2/3

**Shenzhen Superstark Technology Co., Ltd.**
Web: www.starktouchdevice.com Email: edison.cheng@starktouchdevice.com
WhatsApp: +86 134 8064 6839





# Selection & Packaging

Series models, key features and revision.

## 01 SERIES OVERVIEW

| Model | Size | Type | Resolution | Power | Net (kg) | Gross (kg) |
|---|---|---|---|---|---|---|
| **STD-43SM-1** | 43" | Single 700 | 1920×1080 | ≤150 W | 22 | 34 |
| **STD-43SM-2** | 43" | Single 3000 | 1920×1080 | ≤230 W | 22 | 34 |
| **STD-43SM** | 43" | Dual 700+3000 | 1920×1080 | ≤350 W | 25 | 37 |
| **STD-43SM-MON** | 43" | Dual 700+3000 (monitor) | 1920×1080 | ≤350 W | 25 | 37 |
| **STD-55SM-1** | 55" | Single 700 | 3840×2160 | ≤200 W | 27 | 39 |
| **STD-55SM-2** | 55" | Single 3000 | 3840×2160 | ≤350 W | 27 | 39 |
| **STD-55SM** | 55" | Dual 700+3000 | 3840×2160 | ≤600 W | 30.25 | 42 |
| **STD-65SM** | 65" | Dual 700+3000 | 3840×2160 | ≤700 W | 35.25 | 47 |

## 02 KEY FEATURES

1. Ceiling-mounted aluminium structure with high brightness and 90% NTSC gamut.
2. Android 11 with built-in CMS, remote publishing and synchronised playback.
3. Manual knob and ambient-light auto brightness adjustment.
4. Smart cooling 2.0 with six silent fans and temperature-based control.
5. Dual-sided: 700 nits one face, 3000 nits the other, on the same unit.

## 03 REVISION HISTORY

| Rev | Date | Description |
|---|---|---|
| Rev A | 2026.11 | Initial release |

**Shenzhen Superstark Technology Co., Ltd.**
Web: www.starktouchdevice.com Email: edison.cheng@starktouchdevice.com
WhatsApp: +86 134 8064 6839