STARK TOUCH DEVICE

Product Catalog 2026

Touch monitors · Digital signage · Panel PCs · Outdoor displays



Customized Solutions

No two installations ask for the same screen. We build around the drawing you send: the size, the brightness the site needs, the sealing the weather demands, and the housing that has to fit into a wall, a kiosk or a machine.

1 Size

From 7 to 98 inch, including bar, square and stretched panels. Non-standard sizes start from the active area you need.

2 Brightness

300 nits for indoor rooms, 1000 to 2500 nits where the screen faces daylight. Dimmable by remote or sensor.

3 Sealing

IP65 or IP66 front sealing with bonded glass, so no air gap forms and no internal fog appears over the years.

4 Housing

Aluminium, stainless steel or powder-coated steel. Wall, ceiling, floor-standing or recessed - built to your cut-out.

Where our displays are installed

Retail · Transport · Banking self-service · Hospitality · Education · Public information

Send the drawing and the environment, and we will reply within 24 hours with a specification and a quotation.

SEND US REQUEST

Off-the-shelf doesn't fit? We build to your spec.

Company Profile

Stark Touch Device is the overseas brand of Shenzhen Superstark Technology Co., Ltd., founded in 2018 by a team with a background in display hardware. We design and manufacture touch monitors, panel PCs, digital signage and outdoor displays from 7 to 98 inch, for OEM and ODM projects.

The range covers what a commercial installation actually needs: floor-standing and wall-mounted digital signage, portable and hanging displays, bar and stretched screens, interactive kiosks and tables, and monitors built into a customer's own housing. Brightness runs from 300 nits for indoor rooms to 2500 nits for direct sunlight, with IP65 and IP66 sealing wherever the screen faces weather.

Every model ships with an English datasheet, a drawing package and a tested sample before the batch is released. Products are CE, FCC and RoHS compliant, and we support customers with the documentation their own certification files require.

Today our displays run in retail, transport, banking self-service, hospitality, education and public information projects across Europe, North America, the Middle East and Southeast Asia. Send the installation drawing and the environment, and we will reply within 24 hours with a specification and a quotation.

2018	OEM / ODM	300-2500 nits	24 h
Founded	Business model	Brightness range	RFQ reply

SEND US REQUEST

Off-the-shelf doesn't fit? We build to your spec.

Factory Pictures



Automatic Production Line



Dust-Free Production Room



QC INSPECTION ROOM BEFORE SHIPMENT



Warehouse for materials



Warehouse for finished products



Warehouse for shipment



Reception Center



Showroom

SEND US REQUEST

Off-the-shelf doesn't fit? We build to your spec.

Product Range

Eight product families, 7 to 98 inch



Floor Stand Advertising Display



Portable Digital Signage



Touch Screen Kiosk



Bar Stretched Screen



Wall-mounted Advertising Display



Outdoor Advertising Display



Industrial All-in-one PC



Other Commercial Display

SEND US REQUEST

Off-the-shelf doesn't fit? We build to your spec.

USP

High sensitive touch(optional)

RJ45 and 3G network optional



LED

LED screen, energy saving

Android system(with WIFI network)

Quad core CPU 1GB RAM 8GB storage

Software optional(cloud service management system support con tent editing and updating)

Innovative ventilation, industrial grade design, support 7 days/24 hours operation.

1280*800 high resolution, good viewing angle, support FHD 1920*1080 output

SEND US REQUEST

Off-the-shelf doesn't fit? We build to your spec.

Floor Stand AD Display



Specification	Screen Size	32inch/ 43 inch	49 inch	55 inch	65 inch
	Resolution	1920*1080			
	Brightness(MAX)	200cd/m²	220cd/m²	230cd/m²	260cd/m²
	Contract Ratio	1200:1	1200:1	1200:1	1200:1
	Operating System	Android/Windows/Single Version			
	Viewing Angle	178/178			
Video / Images	Supported Formats	RM/RMVB,MKV,TS,FLV,AVI,VOB,MOV, WMV,MP4,BMP,JPEG,PNG,GIF			
	HDMI & VGA input	Optional			
Audio	Built-in loudspeaker	2*8Ω8W			
Communication	Wi-Fi	Optional			
	Touch screen	Optional			
	3G/4G Modem	Optional			
General Information	Inpout Voltage	110-240V AC			
	Certifications	CE, RoHS,FCC,ISO9001,ISO14001,SAA			

※ Note: The data of size may not be accurate,please consult us to get the accurate data.we accept any size customized services!

Large Stores



Office



Shop Doorway



USP

- 1. Ultra-slim design,convenient use, delicate appearance
- 2. Independent split screen
- 3. Quick response time 5ms, no trailing effect
- 4. Build-in stable power,low consumption, long-life span over 60000 hours.

SEND US REQUEST

Off-the-shelf doesn't fit? We build to your spec.

Portable Digital Signage



Specification	Screen Size	32 inch	43 inch
	Resolution	1920*1080	
	Brightness(MAX)	360cd/m²	400cd/m²
	Contract Ratio	1100:1	
	Operating System	Android/Windows/Single Version	
Video / Images	Supported Formats	RM/RMVB,MKV,TS,FLV,AVI,VOB,MOV, WMV,MP4,BMP,JPEG,PNG,GIF	
	HDMI & VGA input	Optional	
Audio	Built-in loudspeaker	2*8Ω5W	
Communication	Wi-Fi	Optional	
	Touch screen	NO	
	3G/4G Modem	Optional	
General Information	Inpout Voltage	110-240V AC	
	Certifications	CE, RoHS,FCC,ISO9001,ISO14001,SAA,IP65	

※ Note: The data of size may not be accurate,please consult us to get the accurate data.we accept any size customized services!

Cinema



Restaurant



Hotel



USP

- 1.Triangular design,secure
- 2.Tiltangle adjustable
- 3.Higher security toughened glass
- 4. The lightest portable ad player

SEND US REQUEST

Off-the-shelf doesn't fit? We build to your spec.

All in one touch kiosk



Specification	Screen Size	21.5 inch	32 inch	42 inch	55 inch
	Resolution	1920*1080			
	Brightness(MAX)	300 cd/m²	350 cd/m²	350 cd/m²	350 cd/m²
	Contract Ratio	1200:1	1200:1	1200:1	1200:1
	Operating System	Android/Windows/Single Version			
Video / Images	Supported Formats	RM/RMVB,MKV,TS,FLV,AVI,VOB,MOV, WMV,MP4,BMP,JPEG,PNG,GIF			
	HDMI & VGA input	Optional			
Audio	Built-in loudspeaker	2*8Ω5W			
Communication	Wi-Fi	Optional			
	Touch screen	Optional			
	3G/4G Modem	Optional			
General Information	Inpout Voltage	110-240V AC			
	Certifications	CE, RoHS,FCC,ISO9001,ISO14001,SAA,IP65			

※ Note: The data of size may not be accurate,please consult us to get the accurate data.we accept any size customized services!

Cinema



Hospital



Restaurant



USP

- 1. RJ45 and 4G network optional
- 2. High sensitive touch (optional)
- 3. Android system with WIFI network Quot core CPU 2GB RAM 8GB storage
- 4. Application software and remote management via network.
- 5. All in one PC,update ad content via network

SEND US REQUEST

Off-the-shelf doesn't fit? We build to your spec.

Bar Stretched Screen



15 inch



18.5 inch



21.5 inch

Display			
Panel	19.7-57.5"LCD panel	Aspect Ratio	16:3
Resolution	1920*360	USB Host	USB Host 2.0
Contrast ratio	1000:1	MDMI	1*1
Brightness	300-350cdm2		
Media plays			
Audio format	MP3/WMA/AAC etc.	Video format	MPEG-1,MPEG-2,MPEG-4, H.263,H.264,VC1,RV etc., support up to 1080p
single version	V-59 mianboard		
android version	3368,3288 mainboard optional	Photo	jpeg,jpg
General Information			
Wireless mouse	Supported	Application	MSN/Skype/Facebook/Twitter/ Youtube/E-mail/google map etc
Wireless keyboard	Supported		
Wi-Fi	Yes	User manual	Yes
Speaker	Yes	USB cable	Yes
Language	Multi-language	certification	CE,ROHS,CCC,FCC,IP65,SAA

※ Note: The data of size may not be accurate,please consult us to get the accurate data.we accept any size customized services!

Train



Bus Station



Expressway



USP

- 1. The size can be customized from a length of 19” to 58” and a width of 4” to 40”
- 2. Brightness can be customized from 350nit to 2500nit
- 3. High reliability, good stability.
- 4. High efficiency and energy saving.

SEND US REQUEST

Off-the-shelf doesn't fit? We build to your spec.

Special-Shaped Panel Display







Panel Display	Model	AU-18.6RAG	AU-286RAG	ZA-R236AG
	Size	18.6"	28.6"	23.6"
	Backlight	LED	LED	LED
	Resolution	905*905	1920*540	1280*1280
	Viewing Angle	89/89/89/89 (Min.)(CR≥10)	89/89/89/89 (Min.)(CR≥10)	79/79/79/79 (Typ.)(CR≥10)
	Display colors	1.07B , 72% NTSC	1.07B , 72% NTSC	16.7M , 72% NTSC
	Brightness	350cd/m2	300~450cd/m2	1500cd/m2
	Contrast ratio	1200:1(Typ.)	1200:1(Typ.)(TM)	1000:1(Typ.)(TM)
	Response Time	6(Typ.)(GtoG)	6(Typ.)(GtoG)	16ms
	Effective Area	330mm (H) x330mm (V)	698.4mm (H) x196.4mm (V)	600.38mm (H) x600.38mm (V)
	Dimensions	365.24*365.24mm	733.5*235*49mm	666.5x666.5x59.83mm
Configuration	CPU	A40	A40	RK3288
	RAM	1GB	1GB	2GB
	EMMC	16GB	16GB	16GB
	System	Android 7.1	Android 7.1	Android 7.1
	Internet	WIFI	WIFI	WIFI
	Port	1*RJ45， 2*USB,2*RS232,1*HDMI	1*RJ45,2*USB,2*RS232,1*HDMI	1*RJ45， 2*USB,2*RS232
	Speaker	2×8Ω 5W	2×8Ω 5W	2×8Ω 5W
	Installation	wall-mounted	wall-mounted	wall-mounted
	Power	AC 110 -240V 50/60Hz	AC 110~240V 50/60Hz	AC 110 -240V 50/60Hz
	Power	≦30W	≦40W	≦100W
	Standby power	＜1W	＜1W	＜1W
	Life time	60000 hours	60000 hours	60000 hours

SEND US REQUEST

Off-the-shelf doesn't fit? We build to your spec.

Wall Mount AD Display



Specification	Screen Size	21.5 inch	32 inch	43/49 inch	55inch
	Resolution	1920*1080	1920*1080	1920*1080	1920*1080
	Brightness(MAX)	250 cd/m²	220cd/m²	250cd/m²	280cd/m²
	Contract Ratio	1000:1	1200:1	1200:1	1200:1
	Operating System	Android/Windows/Single Version			
Video / Images	Supported Formats	RM/RMVB,MKV,TS,FLV,AVI,VOB,MOV, WMV,MP4,BMP,JPEG,PNG,GIF			
	HDMI & VGA input	Optional			
Audio	Built-in loudspeaker	2*8Ω8W			
Communication	Wi-Fi	Optional			
	Touch screen	Optional			
	3G/4G Modem	Optional			
General Information	Inpout Voltage	110-240V AC			
	Certifications	CE, RoHS,FCC,ISO9001,ISO14001,SAA,IP65			

※ Note: The data of size may not be accurate,please consult us to get the accurate data.we accept any size customized services!

Wall Column



Gas Station



Shop Doorway



USP

- 1. High defination with Autocycle
- 2. Ultra-wide filed
- 3. Remote Operation
- 4. Optional color: silver, gold, black

SEND US REQUEST

Off-the-shelf doesn't fit? We build to your spec.

Outdoor Advertising Display



Specification	Screen Size	21.5 inch	32 inch	42 inch	55inch
	Resolution	1920*1080			
	Brightness(MAX)	1000-2000 cd/m²			
	Contract Ratio	1400:1	1600:1	1600:1	4000:1
	Operating System	Android/Windows/Single Version			
Video / Images	Supported Formats	RM/RMVB,MKV,TS,FLV,AVI,VOB,MOV, WMV,MP4,BMP,JPEG,PNG,GIF			
	HDMI & VGA input	Optional			
Audio	Built-in loudspeaker	2*8Ω5W			
Communication	Wi-Fi	Optional			
	Touch screen	Optional			
	3G/4G Modem	Optional			
General Information	Inpout Voltage	110-240V AC			
	Certifications	CE, RoHS,FCC,ISO9001,ISO14001,SAA,IP65			

※ Note: The data of size may not be accurate,please consult us to get the accurate data.we accept any size customized services!

City Square



Outdoor Street



USP

- 1.Dustproof, IP65 waterproof
- 2.1000-2000 high brightness
- 3.Full HD display

SEND US REQUEST

Off-the-shelf doesn't fit? We build to your spec.

Industrial All-in-one PC



Specification	Screen Size	10.1”/12.1”/13.3”/15”/15.6”/17”/18.5”/19”/21.5”/23.6”/23.8”/27”/32”/43”			
	Resolution	1366*768/1920*1080			
	Brightness(MAX)	360cd/m2	400cd/m2	400cd/m2	360cd/m2
	Contract Ratio	1400:1	1600:1	1600:1	1400:1
	Operating System	Windows System			
Video / Images	Supported Formats	RM/RMVB,MKV,TS,FLV,AVI,VOB,MOV, WMV,MP4,BMP,JPEG,PNG,GIF			
	HDMI & VGA input	Optional			
Audio	Built-in loudspeaker	2*8Ω5W			
Communication	Wi-Fi	Yes			
	Touch screen	Yes			
	3G/4G Modem	Optional			
General Information	Inpout Voltage	110-240V AC			
	Certifications	CE, RoHS,FCC,ISO9001,ISO14001,SAA,IP65			

※ Note: The data of size may not be accurate,please consult us to get the accurate data.we accept any size customized services!

Workshop



Library



USP

- 1. Wide working temperature range.
- 2. Intel Industrial Motherboard.
- 3. HD LCD display screen.
- 4. Versatile ports.

SEND US REQUEST

Off-the-shelf doesn't fit? We build to your spec.

Hanging Windows Ad Display



Specification	Screen Size	10.1 inch	12 inch	17 inch	21.5 inch
	Resolution	1366*768/1920*1080			
	Brightness(MAX)	360 cd/m²	306 cd/m²	270 cd/m²	220 cd/m²
	Contract Ratio	1400:1	1600:1	1600:1	4000:1
	Operating System	Android/Windows/Single Version			
Video / Images	Supported Formats	RM/RMVB,MKV,TS,FLV,AVI,VOB,MOV, WMV,MP4,BMP,JPEG,PNG,GIF			
	HDMI & VGA input	Optional			
Audio	Built-in loudspeaker	2*8Ω5W			
Communication	Wi-Fi	Optional			
	Touch screen	Optional			
	3G/4G Modem	Optional			
General Information	Inpout Voltage	110-240V AC			
	Certifications	CE, RoHS,FCC,ISO9001,ISO14001,SAA,IP65			

※ Note: The data of size may not be accurate,please consult us to get the accurate data.we accept any size customized services!

Milk tea shop



Cinema



USP

- 1. Elegant streamlined appearance
- 2. Hanging type installation
- 3. Dual screen LCD display

SEND US REQUEST

Off-the-shelf doesn't fit? We build to your spec.

Touch Table







Specification	Screen Size	10.1 inch	12 inch	17 inch	21.5 inch
	Resolution	1366*768/1920*1080			
	Brightness(MAX)	360 cd/m²	306 cd/m²		
	Contract Ratio	1400:1	1600:1	1600:1	4000:1
	Operating System	Android/Windows/Single Version			
Video / Images	Supported Formats	RM/RMVB,MKV,TS,FLV,AVI,VOB,MOV, WMV,MP4,BMP,JPEG,PNG,GIF			
	HDMI & VGA input	Optional			
Audio	Built-in loudspeaker	2*8Ω5W			
Communication	Wi-Fi	Optional			
	Touch screen	Optional			
	3G/4G Modem	Optional			
General Information	Inpout Voltage	110-240V AC			
	Certifications	CE, RoHS,FCC,ISO9001,ISO14001,SAA,IP65			

※ Note: The data of size may not be accurate,please consult us to get the accurate data.we accept any size customized services!

meeting room



Conference Room



USP

- 1. High defination with Autocycle
- 2. Ultra-wide filed
- 3. Remote Operation
- 4. Optional color: silver, gold, black

SEND US REQUEST

Off-the-shelf doesn't fit? We build to your spec.

ded High Brightness Window Facing Display



Ceiling installation



Bracket installation

CLEARLY READABLE ON DUAL SIDES

The FA Series designed with a double-sided screen, The brightness on both sides can be automatically adjusted to the ambient light.

3000 nits on the window-facing side helps to maintain image integrity in sunlight;
1000 nits on the in-store facing side for clear message delivery

SEND US REQUEST

Off-the-shelf doesn't fit? We build to your spec.

Mobile Advertising Machine



Model	KI-E032LB
Size	32"
Pannel Type	TFT-LCD
Resolution	1920*1080
Contrast Ratio	1000:1
Aspect Ratio	16:9
Touch Display	CAP
AG glass	3MM
E&DLED	ELED
Brightness	300CD/M2
View Angle	89/89/89/89
System	Android 11.0
Speaker	2*10W
Chipset	CPU:Quad-core A55 1.2GHZ GPU:Mail G52
RAM	4G
EMMC	32G
INPUT/OUTPUT	AC in,RJ45,USB,HDMI
Power input	AC 100-240V,50-60Hz
Active Area	698.7*393.3mm
	Battery
Battery life	More than 3000 cycles of cell
Rated Capacity	230WH
Rate Voltage	19.2V/5A (max)
Charging Port	DC 2.5mm
Maximum Charging Current	5A
Battery Size	220*170*30mm
Batter Weight	2.5kg

SEND US REQUEST

Off-the-shelf doesn't fit? We build to your spec.

All-in-one live broadcast Machine









size	15.6"
Resolution	1920*1080
Brightness	240-280cd/m2
Touch type	G+G CAP
Points	10 points
RAM	8G
ROM	128G
System	Android 11.0
WLAN	WIFI2.4+5G,10-1000 MB LAN
Bluetooth	bluetooth 5.0
Pixel	8 Million
Ports	OTG,HDMI,USB2.0,USB3.0,WIFI signal bar,Earphone,RJ45
View	75 degree
Fill light color	Yellow,white,Mix
Speaker	5W
Power	DC 12V

SEND US REQUEST

Off-the-shelf doesn't fit? We build to your spec.

Other Commercial Display



Elevator Ad Display



S-Style Kiosk



Customized Floor Stand DS



Mirror Intelligent Advertising Display



Rotated Floor Stand DS



Newspaper And Magazine Holder Advertising Display



Customized Kiosk



Double Screen Outdoor DS

SEND US REQUEST

Off-the-shelf doesn't fit? We build to your spec.



OEM and ODM accepted.
RFQ answered within 24 hours.

Aging test and full inspection before every shipment.

1 year warranty.
Lifetime technical support.

Commercial and outdoor displays since 2018. CE / FCC / RoHS.

STARK TOUCH DEVICE

Shenzhen Superstark Technology Co., Ltd.

Room 1508, Building A, Zhong'an Science Park, No.117 Huaning Road, Xinshi Community, Dalang Subdistrict, Longhua District, Shenzhen, China

Tel / WhatsApp: +86 134 8064 6839
WeChat: 13480646839

Website
www.starktouchdevice.com

Email: stark.sales@starktouchdevice.com

SEND US REQUEST ►

WhatsApp

WeChat

Off-the-shelf doesn't fit? We build to your spec.

Subscribe to product updates